S=Searched

	Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
7	L1	2	dynamic with prompt adj3 table and \@ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:00
4	L2	2	dynamic with prompt adj3 table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:43
	L3	931	values same key adj pad and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:16
	L4	549	values with key adj pad and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:16
7	· L5	26	table same values with key adj pad and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:14
9	L6	21	prompt same values with key adj pad and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:29
	L7	5645	keyboard with table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:30
	7 _{L8}	3	configure with keyboard with table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:30
7	L9	18	configure with key with table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:32

5	L10	2	configure with keypad with table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:33
5	L11	4	configure with data adj entry with table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:37
	L12	2157	variable with keyboard and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:43
5	L13	2	("5,784,060").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/23 13:43
9	L14	2	POS and table same values with key adj pad and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:16
	L15	33	atm same key with configuration and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:19
^	L16	0	hui same button same configuration and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:19
	L17	248	gui same button same configuration and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:21
5	L18	18	atm same button with configuration and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:19
	L19	0.	cell adj phone same press adj one adj for adj yes and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:44

\sim	L20	1	cell adj phone same press with yes and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:45
	L21	7	mobile adj phone same press with yes and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:47
7	L22	119	mobile adj phone same commerce and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:01
	L23 7	25	keypad and mobile adj phone same commerce and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:59
	L24	0	yes same mobile adj phone same commerce and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:01
5	L25	119	mobile adj phone same commerce and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:31
5	L26	4	mobile adj phone and keypad same commerce and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:14
5	L27	19	mobile adj phone same smart adj card same authenticat\$ and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:28
5	L28	3	mobile adj phone same (smart adj card or SIM) same authenticat\$ with application and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:30
	L29	253	(smart adj card or SIM) same authenticat\$ with application and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:35

0	L30	40001	(smart adj card or SIM) same private same digital signature and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:35
7	L31	100	(smart adj card or SIM) same private same digital adj signature and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 16:40
5	L32	82	authenticat\$ same file same private same digital adj signature and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:00
5	L33	37	smart adj card same digitally adj sign and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 17:00
5	S1	31	pinpad and @ad<"20010629" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:52
>	S2	60	prompt adj2 table and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/20 11:29
	S 3	20900269	dynamic with prompt adj3 table @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2005/05/23 13:00